



HFA160S
2000 x 1640 x 820 mm | 850 L | 230 kg
3 persons, 2 seats, 1 lounger

Fun For 3



15 Massage Jets

2 Inch Jet Internal-Directional
3 Inch Jet Internal-Directional
3 Inch Jet Single-Spin
4 Inch Jet Single-Spin
5 Inch Jet Single-Spin

Pump System

1 x 3HP Massage pump
1 x 0.5HP High flow circulation pump



Highlights


- Plug and play
- Ingenious jet design for maximum comfort
- More comfortable and smooth seating experience
- User-friendly button screen panel
- First class water treatment system

Dream Time Lighting



- Large LED light
- Waterlevel light
- Backlit light controls

Skirt Lock Insulation



- Edge foaming
- Energy efficient
- Twin side silver foil & foam

Perfect Massage Experience



- Precision-crafted stainless steel hydrotherapy jets
- Ergonomic seating



- Ozone venturi
- Spatech CA100-2KW heater
- Spatech MP31 button screen panel
- Dream time lighting
- Blister base



PS Cabinet

The weatherproof cabinet ensures outdoor durability, maintaining its shape even under extreme heat exposure.



- Ozone venturi
- 1 x highly efficient blue filter



Control System

Spatech CA100-2KW

+ MP31 Button Screen Panel

- Customize maintenance reminder
- User friendly LCD display keypad



Shell Color



Cabinet Color



Common Thermal Cover



Warranty


- 4 Year Structural Warranty
- 3 Year Acrylic Warranty
- 3 Year Jet Warranty
- 2 Year Pump and Electrical Equipment
- 2 Year Plumbing Warranty
- 2 Year Cabinet Warranty



* Within the scope permitted by law, the above warranty policy may be updated from time to time. Please consult authorized dealers for specific details.

Technical Requirements

Power Supply
13 Amp
Electricity: All spas must be wired following all national electric codes. Always use a qualified electrician to perform the electrical installation. Refer to the product electrical layout for specific power connection points.
Location: Select a site that is stable and capable of supporting the weight of your spa, its water, and the people using it. The surface needs to be flat and level as it must provide continuous support for the entire bottom of the spa structure.
Important Notes: For more information, please see the general installation guide or contact your dealer.



NO	Icon	Description	Qty	Unit
6		WIFI	1	Pcs
5		Single Speed Pump	1	Pcs
4		Control Panel	1	Pcs
3		Control Box	1	Pcs
2		CD Ozone Generator	1	Pcs
1		External Drain	1	Pcs
NO		Description	Qty	Unit



HFA360S

2000 x 2000 x 820 mm | 960 L | 267 kg

5 persons, 4 seats, 1 lounger

Fun For 6



24 Massage Jets

2 Inch Jet Internal-Directional
3 Inch Jet Internal-Directional
3 Inch Jet Single-Spin
4 Inch Jet Single-Spin
5 Inch Jet Single-Spin

Pump System

1 x 3HP Massage pump
1 x 0.5HP High flow circulation pump



Highlights


- Plug and play
- Ingenious jet design for maximum comfort
- More comfortable and smooth seating experience
- User-friendly button screen panel
- First class water treatment system

Dream Time Lighting



- Large LED light
- Waterlevel light
- Backlit light controls

Skirt Lock Insulation



- Edge foaming
- Energy efficient
- Twin side silver foil & foam

Perfect Massage Experience



- Precision-crafted stainless steel hydrotherapy jets
- Ergonomic seating



- Ozone venturi
- Spatech CA100-2KW heater
- Spatech MP31 button screen panel
- Dream time lighting
- Blister base



PS Cabinet

The weatherproof cabinet ensures outdoor durability, maintaining its shape even under extreme heat exposure.



- Ozone venturi
- 1 x highly efficient blue filter



Control System

Spatech CA100-2KW + MP31 Button Screen Panel

- Customize maintenance reminder
- User friendly LCD display keypad



Shell Color



Cabinet Color



Common Thermal Cover



Warranty

- 4 Year Structural Warranty
- 3 Year Acrylic Warranty
- 3 Year Jet Warranty
- 2 Year Pump and Electrical Equipment
- 2 Year Plumbing Warranty
- 2 Year Cabinet Warranty




* Within the scope permitted by law, the above warranty policy may be updated from time to time. Please consult authorized dealers for specific details.

Technical Requirements

Power Supply
13 Amp
Electricity: All spas must be wired following all national electric codes. Always use a qualified electrician to perform the electrical installation. Refer to the product electrical layout for specific power connection points.

Location: Select a site that is stable and capable of supporting the weight of your spa, its water, and the people using it. The surface needs to be flat and level as it must provide continuous support for the entire bottom of the spa structure.

Important Notes: For more information, please see the general installation guide or contact your dealer.



NO	Icon	Description	Qty	Unit
6		Single Speed Pump	1	Pcs
5		WIFI	1	Pcs
4		CD Ozone Generator	1	Pcs
3		Control Panel	1	Pcs
2		Control Box	1	Pcs
1		External Drain	1	Pcs
NO Icon Description Qty Unit				



HFA570S
2120 x 2120 x 920 mm | 1290 L | 295 kg
5 persons, 3 seats, 2 loungers

Fun For 5



24 Massage Jets

2 Inch Jet Internal-Directional
3 Inch Jet Internal-Directional
3 Inch Jet Single-Spin
4 Inch Jet Single-Spin
5 Inch Jet Single-Spin

Pump System

1 x 3HP Massage pump
1 x 0.5HP High flow circulation pump



Highlights


- Plug and play
- Ingenious jet design for maximum comfort
- More comfortable and smooth seating experience
- User-friendly button screen panel
- First class water treatment system

Dream Time Lighting



- Large LED light
- Waterlevel light
- Backlit light controls

Skirt Lock Insulation



- Edge foaming
- Energy efficient
- Twin side silver foil & foam

Perfect Massage Experience



- Precision-crafted stainless steel hydrotherapy jets
- Ergonomic seating



- Ozone venturi
- Spatech CA100-2KW heater
- Spatech MP31 button screen panel
- Dream time lighting
- Blister base



PS Cabinet

The weatherproof cabinet ensures outdoor durability, maintaining its shape even under extreme heat exposure.



- Ozone venturi
- 1 x highly efficient blue filter



Control System

Spatech CA100-2KW

+ MP31 Button Screen Panel

- Customize maintenance reminder
- User friendly LCD display keypad



Shell Color



Cabinet Color



Common Thermal Cover



Warranty

4 Year Structural Warranty

3 Year Acrylic Warranty

3 Year Jet Warranty

2 Year Pump and Electrical Equipment

2 Year Plumbing Warranty


2 Year Cabinet Warranty



* Within the scope permitted by law, the above warranty policy may be updated from time to time. Please consult authorized dealers for specific details.

Technical Requirements

Power Supply	
13 Amp	
Electricity:	All spas must be wired following all national electric codes. Always use a qualified electrician to perform the electrical installation. Refer to the product electrical layout for specific power connection points.
Location:	Select a site that is stable and capable of supporting the weight of your spa, its water, and the people using it. The surface needs to be flat and level as it must provide continuous support for the entire bottom of the spa structure.
Important Notes:	For more information, please see the general installation guide or contact your dealer.



NO	Icon	Description	Qty	Unit
6		Control Box	1	Pcs
5		WIFI	1	Pcs
4		CD Ozone Generator	1	Pcs
3		Control Panel	1	Pcs
2		Single Speed Pump	1	Pcs
1		External Drain	1	Pcs
NO		Icon Description	Qty	Unit



WFAS440

4430 x 2350 x 1290 mm | 5908 L | 804 kg

3 persons, 3 seats

Fun for all 4.4



14 Massage Jets

2 Inch Jet Internal-Directional
3 Inch Jet Internal-Directional
3 Inch Jet Single-Spin
4 Inch Jet Single-Spin
5 Inch Jet Single-Spin



Pump System

2 x 3HP Swim pump
1 x 0.5HP High flow circulation pump

2 x 3" Turbo Swim Jets



Our revolutionary patented 3 inch turbo swim jets provide a powerful yet smooth for an unparalleled swimming experience.

Accurate jet placement is essential, as jets positioned too low or too wide result in inefficient water flow. The swim jets are specifically designed to focus on the shoulders and chest to achieve optimal balance.

Highlights

- Patented turbo swim jets
- Ingenious jet design for maximum comfort
- More comfortable and smooth seating experience
- User-friendly button screen panel
- First class water treatment system

Dream Time Lighting



- Large LED light
- Waterlevel light
- Backlit light controls

Skirt Lock Insulation



- Full foaming
- Energy efficient
- Twin side silver foil & foam

Perfect Massage Experience



- Precision-crafted stainless steel hydrotherapy jets
- Ergonomic seating

Water Treatment System



- Ozone venturi
- 2 x highly efficient blue filter



Control System

Spatech CA300-3KW

+ MP31 Button Screen Panel

+ AP40 Panel

- Customize maintenance reminder
- User friendly LCD display keypad



Shell Color



ALPINE WHITE

Cabinet Color



DARK GREY

Common Thermal Cover




PS Cabinet

The weatherproof cabinet ensures outdoor durability, maintaining its shape even under extreme heat exposure.

Technical Requirements

Power Supply
25 Amp
Electricity: All swim spas must be wired following all national electric codes. Always use a qualified electrician to perform the electrical installation. Refer to the product electrical layout for specific power connection points.
Location: Select a site that is stable and capable of supporting the weight of your spa, its water, and the people using it. The surface needs to be flat and level as it must provide continuous support for the entire bottom of the spa structure.
Important Notes: For more information, please see the general installation guide or contact your dealer.



8		Subsidiary Control Panel	1	Pcs
7		Circulation Pump	1	Pcs
6		Control Box	1	Pcs
5		Control Panel	1	Pcs
4		CD Ozone Generator	1	Pcs
3		Head Pump Ready Unit(Option)	1	Pcs
2		3HP Single Speed Pump	2	Pcs
1		Drain Valve	1	Pcs
NO		Description	Qty	Unit

Warranty

4 Year Structural Warranty

3 Year Acrylic Warranty

3 Year Jet Warranty

2 Year Pump and Electrical Equipment

2 Year Plumbing Warranty

2 Year Cabinet Warranty



* Within the scope permitted by law, the above warranty policy may be updated from time to time. Please consult authorized dealers for specific details.



WFAS600
5915 x 2350 x 1290 mm | 8773 L | 1152 kg
3 persons, 3 seats

Fun for all 6.0



14 Massage Jets

2 Inch Jet Internal-Directional
3 Inch Jet Internal-Directional
3 Inch Jet Single-Spin
4 Inch Jet Single-Spin
5 Inch Jet Single-Spin



Pump System

2 x 3HP Swim pump
1 x 0.5HP High flow circulation pump

2 x 3" Turbo Swim Jets



Our revolutionary patented 3 inch turbo swim jets provide a powerful yet smooth for an unparalleled swimming experience.

Accurate jet placement is essential, as jets positioned too low or too wide result in inefficient water flow. The swim jets are specifically designed to focus on the shoulders and chest to achieve optimal balance.

Highlights

- Patented turbo swim jets
- Ingenious jet design for maximum comfort
- More comfortable and smooth seating experience
- User-friendly button screen panel
- First class water treatment system

Dream Time Lighting



- Large LED light
- Waterlevel light
- Backlit light controls

Skirt Lock Insulation



- Full foaming
- Energy efficient
- Twin side silver foil & foam

Perfect Massage Experience



- Precision-crafted stainless steel hydrotherapy jets
- Ergonomic seating

Water Treatment System



- Ozone venturi
- 2 x highly efficient blue filter



Control System

Spatech CA300-3KW

- + MP31 Button Screen Panel
- + AP40 Panel


- Customize maintenance reminder
- User friendly LCD display keypad



Shell Color



Cabinet Color



Common Thermal Cover




PS Cabinet

The weatherproof cabinet ensures outdoor durability, maintaining its shape even under extreme heat exposure.

Technical Requirements

Power Supply
25 Amp
Electricity: All swim spas must be wired following all national electric codes. Always use a qualified electrician to perform the electrical installation. Refer to the product electrical layout for specific power connection points.
Location: Select a site that is stable and capable of supporting the weight of your spa, its water, and the people using it. The surface needs to be flat and level as it must provide continuous support for the entire bottom of the spa structure.
Important Notes: For more information, please see the general installation guide or contact your dealer.



8	○○○	Subsidiary Control Panel	1	Pcs
7	○○○○	Circulation Pump	1	Pcs
6	○○○○○	Control Box	1	Pcs
5	○○○○○○	Control Panel	1	Pcs
4	○○○○○○○	CD Ozone Generator	1	Pcs
3	○○○○○○○○	Head Pump Ready Unit(Option)	1	Pcs
2	○○○○○○○○○	3HP Single Speed Pump	2	Pcs
1	○○○○○○○○○○	Drain Valve	1	Pcs
NO	Icon	Description	Qty	Unit

Warranty

4 Year Structural Warranty

3 Year Acrylic Warranty

3 Year Jet Warranty

2 Year Pump and Electrical Equipment

2 Year Plumbing Warranty

2 Year Cabinet Warranty



* Within the scope permitted by law, the above warranty policy may be updated from time to time. Please consult authorized dealers for specific details.